CP-EAC-DY60L2-E



High Resolution IR Dome Camera - 20 mtr



Main Features

- $\Rightarrow~1/3$ " Sony Super HAD II
- $\Rightarrow~600~\text{TVL}$ High Resolution Camera
- \Rightarrow 0 lux @ F1.2 (IR ON)
- $\Rightarrow\,$ 3.6 mm Fixed Lens
- $\Rightarrow\,$ IR Range of 20 Mtrs with 23 LED's
- $\Rightarrow\,$ AGC, AWB and BLC
- $\Rightarrow \, \text{Sens Up} \,$
- $\Rightarrow\,$ CE, FCC and RoHS Certified



Feature	Specification
Image Sensor	1/3" Sony Super HAD II
Pixels	PAL:752Hx582V, NTSC:768Hx494V
Resolution	600 TVL
Min. Illumination	0 lux @F1.2
S/N Ratio	more than 48dB
Electronic Shutter	1/50(1/60) - 1/100000 Sec
Lens	3.6 mm
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	ON/OFF Selectable
IR	23 LEDs, Upto 20 Mtrs
Sync	Internal/External Line Lock
Video Output	1.0 Vp-p/75 ohm
Special Functions	Sens-Up(Low Shutter)=x512
Power Supply	DC 12V ± 5%
Power Consumption	<5W
Dimensions	140 x 96mm
Weight	450g
Operating Temperature	-20~50 °C
Certifications	CE, FCC, RoHs