CP-EAC-TY60L2D-E



Main Features

- $\Rightarrow~1/3$ " Sony Super HAD II
- $\Rightarrow~600~\text{TVL}$ High Resolution Camera
- \Rightarrow 0 lux @ F1.2 (IR ON)
- $\Rightarrow~$ 3.6 mm Fixed Lens
- $\Rightarrow~$ IR Range of 20 Mtrs with 24 LED's
- $\Rightarrow\,$ AGC, AWB and BLC
- \Rightarrow Weather Resistant IP 66 Housing
- \Rightarrow CE, FCC and RoHS Certified

1/3" CCD C C D	600 /vL Horizontal Resolution	0 Minimum Illumination	48dB S/N Ratio S/NRatio	IP66
AGC LLLL Auto Gain Control	Automatic White Balance	Backlight Compensation	Day&Night	
Feetune				

Feature	Specification	
Image Sensor	1/3" Sony Super HAD II	
Pixels	PAL:752Hx582V, NTSC:768Hx494V	
Resolution	600 TVL	
Min. Illumination	0 lux @F1.2	
S/N Ratio	more than 48dB	
Electronic Shutter	1/50(1/60) - 1/100000 Sec	
Lens	3.6 mm	
Gamma Correction	0.45	
White Balance (AWB)	Auto	
Gain Control (AGC)	Auto	
Back Light Compensation	ON/OFF Selectable	
IR	24 LEDs, Upto 20 Mtrs	
Sync	Internal/External Line Lock	
Video Output	1.0 Vp-p/75 ohm	
Power Supply	DC 12V ± 5%	
Power Consumption	<5W	
IP Rating	66	
Dimensions	205 x 81 x 85mm	
Weight	450g	
Operating Temperature	-20~50 °C	
Certifications	CE, FCC, RoHs	