CP-EAC-TY65MVFL4



High Resolution IR Bullet Camera with OSD - 35-40 Mtr



Main Features

- $\Rightarrow 1/3$ " Sony Super HAD II
- $\Rightarrow~650~\text{TVL}$ High Resolution Camera
- \Rightarrow 0 lux @ F1.2 (IR ON)
- $\Rightarrow\,$ 4~9 mm Auto Iris Lens
- $\Rightarrow\,$ IR Range of 35-40 Mtrs with 42 LEDs
- $\Rightarrow\,$ AGC, AWB and BLC
- \Rightarrow Weather Resistant IP 66 Housing
- $\Rightarrow\,$ CE, FCC and RoHS Certified



Feature	Specification
Image Sensor	1/3" Sony Super HAD II
Pixels	PAL:752Hx582V, NTSC:768Hx494V
Resolution	650 TVL
Min. Illumination	0 lux @F1.2
S/N Ratio	more than 48dB
Electronic Shutter	1/50(1/60) - 1/100000 Sec
Lens	4~9 mm Auto Iris Lens
Gamma Correction	0.45
White Balance (AWB)	ON/OFF Selectable
Gain Control (AGC)	ON/OFF Selectable
Back Light Compensation	ON/OFF Selectable
IR	42 LEDs, Upto 35-40 Mtrs
Sync	Internal/External Line Lock
Video Output	1.0 Vp-p/75 ohm
Power Supply	DC 12V ± 5%
Power Consumption	<12W
IP Rating	66
Dimensions	260 x 185 x 100mm
Weight	1500g
Operating Temperature	-20~50 °C
Certifications	CE, FCC, RoHs