CP-GAC-TC65L4

High Resolution Array Bullet Camera





Main Features

- \Rightarrow 1/3" High Quality Image Sensor
- $\Rightarrow~650~\text{TVL}$ High Resolution Camera
- $\Rightarrow~0.1\,\text{lux}\,@\,\text{F1.2}$
- \Rightarrow 6 mm Lens
- $\Rightarrow\,$ Array Range of 40M
- $\Rightarrow\,$ AGC, AWB and BLC
- $\Rightarrow\,$ CE, FCC and RoHS Certified



Feature	Specification
Image Sensor	1/3" High Quality Image Sensor
Resolution	650 TVL
Min. Illumination	0.1 lux @F1.2
S/N Ratio	more than 52db
Electronic Shutter	1/50(1/60)-1/100000s
Lens	6 mm
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	Auto
Day & Night (ICR)	Yes
IR	Array Range of 40M
Sync	Internal
Power Supply	DC12V
Power Consumption	0.4W(4.8W after Array Powered on)
IP Rating	IP66
Dimensions	127x83.8x87.5mm
Weight	0.471KG
Operating Temperature	-10~50 °C
Certifications	CE, FCC, RoHs