

DH-CA-D480D

700TVL Mobile Dome Camera



DH-CA-D480D



DH-CA-DW480D

Features

- > 1/3" SONY EXview HAD CCD II & Effio-E DSP
- > High resolution of 700TVL(Color)
- > DWDR, Day/Night, AWB, AGC, BLC
- > 3.6mm fixed lens (2.8mm optional)
- > Max. IR LEDs length 10m (DH-CA-DW480D)
- > DC12V


DH-CA-D480D

Technical Specifications

Model	DH-CA-D480DP	DH-CA-DW480DP	DH-CA-D480DN	DH-CA-DW480DP
Camera				
Image Sensor	1/3" EXview HAD CCD II			
Effective Pixels	976(H) x 582(V), 570K pixels		976(H) x 494(V), 480K pixels	
Horizontal Resolution	Color: 700TVL			
Electronic Shutter	1/50s~1/100,000s		1/60s~1/100,000s	
Synchronization	Internal			
Min. Illumination	0.05Lux@F1.2		0.02Lux@F1.2 0Lux (IR on)	
S/N Ratio	>60dB(AGC Off)			
Video Output	1Vp-p Composite Output (75Ω/BNC)			
Camera Features				
Max. IR LEDs Length	N/A	10m	N/A	10m
Day/Night	Auto(Electronic) / Color / B/W			
Backlight Compensation	BLC / DWDR			
White Balance	Auto			
Gain Control	Auto			
Lens				
Focal length	3.6mm (2.8mm optional)			
Mount Type	M12			
General				
Power Supply	DC12V±10%			
Power Consumption	Max 2W	Max 5W	Max 2W	Max 5W
Working Environment	-30°C~+60°C / 20%~80%RH			
Dimensions	φ93.2mm×77.5mm			
Weight	500g			
Others	Default: with Pickup			

DH-CA-D480D

Dimensions (mm)



<http://www.asi.ind.in>

Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.