




DS-2CC502/572P-M CCD-based Color Dome Camera

- Compact structure design
- 1/3" SONY CCD
- Day / Night auto switch
- Low illumination: 0.1Lux @ F1.2
- Auto white balance, auto gain control, electronic shutter control and backlight compensation

Unit: mm



Specifications

		DS-2CC502P-M	DS-2CC572P-M
Camera	Image Sensor	1/3 " SONY Super HAD CCD	
	Signal System	PAL	
	Effective Pixels	500(H)×582 (V)	752(H)×582 (V)
	Min. Illumination	0.1Lux @ F1.2	
	Electronic Shutter	1/50s~1/100,000s	
	Horizontal Resolution	420TVL	540TVL
	Synchronization	Internal Synchronization	
	Video Output	1Vp-p Composite Output (75Ω/BNC)	
Lens	S/N Ratio	More than 48 dB	
	BLC	ON	
	Lens	3.6mm @ F2.0	
General	Working Temperature	-10°C~60°C (14°F~140°F)	
	Power Supply	DC12V±10%	
	Power Consumption	2W MAX	
	Dimension	Φ110×62mm (Φ4.33"×2.44")	
	Weight	330g (0.72lbs)	

Available Models

DS-2CC502P-M, DS-2CC572P-M